

<b>Order Anseriformes</b>		Duck, Tufted	WVacc (3, 2007)
<b>Whistling-Ducks, Geese, Swans, and Ducks</b>			
Whistling-Duck, Black-bellied*	2D-11D+ SRu SRfc (sw, se, ec, wc) WVvr	Scaup, Greater	10A-4B Mu WRu
Fulvous*	4A-10C+ VLr SRLr (se)	Lesser	10D-4D+ Mc WRc
Goose, Snow	10A-4C+ Mc WRc (e,c)	Scoter, Surf	10B-5B Mr WRvr
Ross's	10D-4C+ Mfc WRc	White-winged	10D-5D+ Mr WVr
Greater White-fronted	9D-4B+ Mfc WRfc (Lc e)	Black	10D-3C Mvr WRvr
Bean-Goose, Tundra	WVacc (1, 2018)	Duck, Long-tailed	11A-4A+ Mr WVr
Brant	WVacc (1, 1990)	Bufflehead	11A-4C+ WRc
Goose, Barnacle	WVacc (1, 2010)	Goldeneye, Common	11B-4C WRLfc
Cackling	11A-3D+ WRu (Lfc)	Barrow's	WVvr (6, 2014)
Canada*	P c	Merganser, Hooded*	P SRLu WRfc
Swan, Mute	11D-2D+ WVvr	Common	10A-3C+ WVr (n)
Trumpeter	11A-5A WRLc SRLr	Red-breasted	10D-4D+ Mu WVr
Tundra	11C-3D Mr WVvr (Lr nc)	Duck, Ruddy°	10A-4C+ Mc WRc SRr
Duck, Wood*	P c	<b>Order Galliformes</b>	
Garganey	SpVacc (1, 1984)	<b>Turkey and Quail</b>	
Bobwhite, Northern*	P Lu		
Teal, Blue-winged*	P Mc SRr (Lu nw) WRr (s)	Grouse, Ruffed	extirpated
Cinnamon	2C-5B 9A-12B SpMr FMvr	Prairie-Chicken, Greater	extirpated
Shoveler, Northern	8D-4C+ Mc WRc	Turkey, Wild*	P u
Gadwall	9A-5D+ WRc	<b>Order Podicipediformes</b>	
Wigeon, Eurasian	FWVacc (2, 2013)	<b>Grebes</b>	
American	9C-4C+ Mc WRc	Grebe, Least	FVacc (1, 2008)
Mallard*	P WRc SRu	Pied-billed*	P WRc SRLu
Duck, American Black	10A-3B+ WRLr (e)	Horned	10A-4A+ WRfc
Mottled*	P SRLu (se, sw) WRLu (se)	Red-necked	11D-4B WVvr
Pintail, Northern	10A-4B+ Mc WRfc (e, sw)	Eared	9A-5A+ Mu WRr (Lu se)
Teal, Green-winged	9D-4C+ Mc WRc	Western	10B-3D+ Mr WVr
Canvasback	10D-4D+ Mfc WRu	<b>Order Columbiformes</b>	
Redhead	10D-4A+ Mfc WRu	<b>Pigeons and Doves</b>	
Duck, Ring-necked	10C-5B+ Mc WRc	Pigeon, Rock*	P c
		Collared-Dove, Eurasian*	P c
		Pigeon, Passenger	extinct

Dove, Inca*	P u Lfc (s, wc)	Rail, Virginia	4A-5D 8D-2D+ MLu WRLr
Ground-Dove, Common	8C-5A Vr	Sora	4A-5C 9A-12D+ Mfc WRr (ec, s)
Dove, White-winged*	P Vr Lu (w)	Gallinule, Purple*	4B-10C SRLr (ce, s)
Mourning*	P c	Common*	4B-12D+ Mr (nw) SRLu (s) WRLr (sw)
<b>Order Cuculiformes</b>		Coot, American*	P Mc WRc SRLr
<b>Cuckoos, Roadrunners, and Anis</b>		Crane, Sandhill	10A-5A+ Mr WVr WRLu (sw, ne, e)
Cuckoo, Yellow-billed*	4A-10C+ SRc	Whooping	extirpated
Black-billed°	4C-6D 8C-10C+ Mr SRvr (n)		
Roadrunner, Greater*	P Lu (w, ce) Lr (e)	<b>Order Charadriiformes</b>	
Ani, Groove-billed	5C-5D 9C-11D+ SpVacc FVvr	<b>Plover, Sandpipers, Gulls, and Terns</b>	
		Stilt, Black-necked*	3D-10D+ SRfc (ec, se)
<b>Order Caprimulgiformes</b>		Avocet, American	4A-11D+ SpMu FMfc
<b>Goatsuckers</b>		Nighthawk, Common*	4B-11A+ SRc
Chuck-will's-widow*	3D-9C SRc	Plover, Black-bellied	3C-5D 8B-11D+ SpMu FMu
Whip-poor-will, Eastern*	3D-9D SRfc (n, ce, wc)	Golden-Plover, American	3A-5D 8C-11B+ SpMc FMu
<b>Order Apodiformes</b>		Plover, Snowy	FSpVacc (6, 2016)
<b>Swifts and Hummingbirds</b>		Wilson's	SpFVacc (3, 1998)
Swift, Chimney*	3B-10D SRc	Semipalmated	4B-5C 7B-9D+ Mc
White-throated	SpFWVacc (4, 2012)	Piping	4B-5C 7B-10B SpMvr FMr
Violetear, Mexican	SFVacc (6, 2000)	Killdeer*	P c
Hummingbird, Rivoli's	SVacc (1, 1993)	Plover, Mountain	WVacc (1, 1951)
Ruby-throated*	3B-11B+ SRc	Sandpiper, Upland	3D-5C 6D-9D+ Mu
Black-chinned	10D-3D WVvr	Whimbrel	5B-5D+ 9A-9B SpMvr FMacc
Anna's	10C-3B WVvr	Curlew, Eskimo	extirpated
Broad-tailed	FWVacc (4, 2006)	Curlew, Long-billed	4B-4D 10B-12B Mvr
Rufous	8B-4A FMr WVr	Godwit, Hudsonian	4B-5D 8C-10B SpMLu FMvr
Calliope	FVacc (6, 2010)	Marbled	4B-5D 7C-10A SpMvr FMr
Broad-billed	FWVacc (3, 2017)	Turnstone, Ruddy	5B-6B 7C-10B Mr
Buff-bellied	WVacc (1, 1993)	Knot, Red	5C-5D 8B-10A SpMacc FMvr
<b>Order Gruiformes</b>		Ruff	3C-5B 8A-9B SpMvr FMacc
<b>Rails, Gallinules, and Cranes</b>		Sandpiper, Sharp-tailed	FVacc (1, 2016)
Rail, Yellow	9A-5A Mvr VVoce	Stilt	3D-6A 7A-11D+ Mfc
Black	9B-10B FMvr	Curlew	FVacc (2, 2004)
King*	P Mr SRLr (ce, s)		

Sanderling	4C-5D 7C-10D+ SpMr FMfc	Gull, Little	11D-3C+ WVvr
Dunlin	3B-5D 10A-12D+ Mfc WRr	Laughing	7A-5B+ Vr
Sandpiper, Purple	FVacc (1, 1976)	Franklin's	3B-6A 9C-12C+ SpMu FMfc
Baird's	3B-6A 7D-11C SpMu FMfc	Mew	WVacc (1, 2018)
Least	7B-6B+ Mc WRu	Ring-billed	8C-5A+ WRc
White-rumped	4B-6C 8B-10D SpMfc FMvr	California	12A-3B+ WVvr (wc)
Buff-breasted	4A-5D 7D-10A+ SpMvr FMu	Herring	8B-5C+ WRLu
Pectoral	3A-6B 6D-11D+ Mc	Iceland	11D-3A WVvr (wc)
Semipalmated	4A-6B 7B-11A+ Mc	Lesser Black-backed	10B-3B WVvr WRLr (wc)
Western	4B-6A 7A-12D+ SpMu FMfc WRvr	Glaucous	11D-3B WVvr
Dowitcher, Short-billed	4D-6A 7D-10A Mu	Great Black-backed	WVacc (2, 2017)
Long-billed	3A-5B 7A-12D+ Mc WRLr	Tern, Sooty	Sa FVvr (10, 2017)
Woodcock, American*	P SpMfc SRr FMu WRu	Bridled	Sa FVacc (2, 2008)
Snipe, Wilson's	8A-5D+ Mc WRfc	Least*	5A-9D+ Mu SRLu (Lc e)
Sandpiper, Spotted°	3D-6B 7A-12D+ Mc WVr	Gull-billed	SpVacc (1, 2009)
Solitary	3D-5B 6B-12D+ Mfc	Caspian	4A-6C 7A-10C+ SpMu FMfc
Yellowlegs, Lesser	2D-5D 6D-12D+ Mc WRu	Black	4B-6B 6D-10C+ Mc
Willet	3D-5D 6C-9C+ Mu	Common	4D-5D 7A-10C+ SpMr FMu
Yellowlegs, Greater	3B-5D 7A-12D+ Mc WRu	Forster's	7B-5C+ Mfc WRLu (s)
Phalarope, Wilson's	3C-5D 7A-10D Mfc	Royal	Sa FVvr (8, 2016)
Red-necked	5B-6A 7B-11B SpMvr FMr	Skimmer, Black	Sa FVvr (8, 2008)
Red	8D-11D+ FMvr	<b>Order Gaviiformes</b>	
Jaeger, Pomarine	FVacc (1, 1983)	<b>Loons</b>	
Parasitic	9A-12B FVvr	Loon, Red-throated	10D-4A Mvr WRr
Long-tailed	FVacc (4, 2000)	Pacific	11A-4A+ Mr WRr
Murrelet, Long-billed	FVacc (1, 1980)	Yellow-billed	FVacc (2, 2010)
Kittiwake, Black-legged	11B-3A WVvr	<b>Order Ciconiiformes</b>	
Gull, Sabine's	9A-10C+ FMLr (sw, wc)	<b>Storks</b>	
Bonaparte's	10A-4D+ Mfc WRfc	Stork, Wood	6B-10B+ FVu (s, e)
Black-headed	11C-1B WVvr	<b>Order Suliformes</b>	
		<b>Frigatebirds, Boobies, Cormorants, and Anhinga</b>	
		Frigatebird, Magnificent	9B-10D+ Sa FVvr

Booby, Brown	Vacc (8, 2017)	Eagle, Golden	9B-4B WRr
Gannet, Northern	SVacc (1, 2005)	Harrier, Northern°	8B-5B+ Mfc WRfc
Cormorant, Neotropic°	5C-12D+ Mr SRLr (sw, se) WVvr	Hawk, Sharp-shinned*	P Mfc WRu SRr (n)
Double-crested*	P Mc SRLu WRc	Cooper's*	P WRfc SRLu
Anhinga*	3C-12C+ SRLu WVvr (s)	Goshawk, Northern	11A-1B WVvr
<b>Order Pelicaniformes</b>		Eagle, Bald*	P WRc SRu
<b>Pelicans, Herons, Ibis, and Spoonbills</b>		Kite, Mississippi*	4C-9C+ SRc (Lu wc, nw)
Pelican, American White	Mfc SRLu WRfc	Hawk, Red-shouldered*	P fc
Brown	3C-11B+ Vr (ce, s)	Broad-winged*	3D-10B+ Mfc SRfc
Bittern, American°	3A-5D 9B-12D+ Mu WVvr	Least*	4A-10A+ Mr SRr (Lu s, e)
Least*	4A-10A+ Mr SRr (Lu s, e)	Swainson's*	3C-11C+ Mu (w) SRLr (nw)
Heron, Great Blue*	P c	Red-tailed*	P c
Egret, Great*	P SRLc WRfc (ce, s)	Rough-legged	10D-3C WVvr
Snowy*	3B-11C+ Mfc SRLfc WVvr	Ferruginous	10D-2D WVvr
Heron, Little Blue*	3B-11C+ Mc SRLc WVvr	<b>Order Strigiformes</b>	
Tricolored*	4A-10C+ Mr SRLu (s) FVu (s) WVvr (sw)	<b>Owls</b>	
Egret, Cattle*	3B-11B+ Mfc SRc WVr (s)	Owl, Barn*	P Lu (e) Lr (w)
Heron, Green*	3B-10D+ Mc SRc WVvr (s)	Screech-Owl, Eastern*	P fc
Night-Heron, Black-crowned*	3B-12B+ Mu SRLu WVvr	Owl, Great Horned*	P fc
Yellow-crowned*	3D-11A+ Mu SRLu	Snowy	11B-1B WVvr
Ibis, White*	3D-11A+ SRLc (s, sw) FVLc (s, ec) WRvr (sw)	Burrowing	9D-3D WVvr (e, ce)
Glossy°	4B-5D 7C-9D+ Mr	Barred*	P fc
White-faced	4B-6A 8A-11D+ Mr WVvr (se)	Long-eared	11A-5D+ WRvr
Spoonbill, Roseate	7A-10D+ FVu (ce, s)	Owl, Short-eared	10C-4C WRLu
<b>Order Cathartiformes</b>		Northern Saw-whet	11A-2D WVr
<b>Vultures</b>		<b>Order Coraciformes</b>	
Vulture, Black*	P fc (w) r (e)	<b>Kingfishers</b>	
Turkey*	P c	Kingfisher, Belted*	P c
<b>Order Accipitriformes</b>		<b>Order Piciformes</b>	
<b>Kites, Eagles, and Hawks</b>		<b>Woodpeckers</b>	
Osprey*	P Mfc SRLr WRr (s)	Woodpecker, Lewis's	SVacc (1, 1967)
Kite, White-tailed	3A-4D+ SpWVvr	Red-headed*	P fc
Swallow-tailed°	4A-9D Mvr SRLvr	Red-bellied*	P c
		Sapsucker, Yellow-bellied	9B-5B+ WRc

### Reporting Bird Sightings

Ornithology has benefitted a great deal from the contributions of amateurs over the years. Birders who faithfully report significant observations and make them a part of the permanent record help ornithologists better understand the intricacies of bird distribution and abundance. Although it isn't always obvious whether a sighting should be reported, a good rule to follow is "If in doubt, make the report." More specific instances in which a report should be made include:

- If a species appears outside of its normal season or geographical region, it should be reported.
- If unexpectedly large or small numbers of a certain species are encountered, that count of individuals should be reported.
- If an unusual or unlisted species is seen, report it by all means, but keep in mind that the greater the rarity the more thorough supporting documentation should be.

**Written and/or photographic documentation is required when reporting rarities or species observed out of season.** The Arkansas Bird Records Committee reviews these reports. The basic information needed for all reports includes: common name, age (adult, immature, etc.), plumage (breeding, non-breeding, etc.), number seen, location (county, nearest town, etc.), and date. The more unusual reports require additional information such as time seen, light conditions, optical equipment, distance to bird and how measured, as well as a description of the bird's size, shape, color pattern, vocalizations if any were heard, and behavior. It is also important to eliminate any similarly appearing species and discuss prior experience with both the species being reported and any with which it might be confused. The names and addresses of additional observers should be included as well as any reference material consulted and how it influenced the description. If it is possible to obtain photographs or audio recordings, be sure to include copies with the report. **Above all else, remember that the documentation process is in place to gather additional, substantiating information and is not meant to intimidate potential contributors or question the authenticity of their reports.**

Reports of birds should be submitted online via the society's website at [www.arbirds.org](http://www.arbirds.org). If further assistance is needed, contact the Curator at [arbirds@arbirds.org](mailto:arbirds@arbirds.org).

#### Dedication

This 2018 edition of the Arkansas Audubon Society field reference honors Dr. Kimberly Gray Smith (1948-2018). Kim came to UA-Fayetteville in 1981 and attained status as University Professor of Biological Sciences and Distinguished Professor. During his career he was a productive researcher and collaborator, with approximately 300 professional publications. Kim was deeply involved in numerous professional organizations in a variety of roles: officer, editor, meeting organizer, etc. He served as Editor in Chief of The Auk (2000-2004) journal of what is now American Ornithological Society. Kim presented a retirement seminar on April 5, 2018, "Life in the Fast Lane: My Life as a Community Ecologist." He ended his seminar with some advice to younger colleagues: "Be curious, be creative, challenge yourself to learn new things, learn the history of the things that interest you, take students on field trips, take students abroad," and finally, "have fun doing what you do...I did..."

The Arkansas Audubon Society was formed in May 1955 to promote the protection and wise use of our natural resources. Weekend meetings are held twice each year at locations throughout the state and are generally scheduled to coincide with the peaks of spring and fall migration. Guest speakers, workshops, and guided field trips are featured at all meetings. A quarterly newsletter is published to keep the membership informed regarding current conservation issues, noteworthy bird records, and news of members and upcoming events. Membership is open to all interested persons. For further information, please visit the society's website at [www.arbirds.org](http://www.arbirds.org)

The 2018 Field Reference was compiled by Lyndal York. Document design and typesetting by Kenny Nichols. Additional editorial assistance provided by Leif Anderson, Dick Baxter, Rob Doster, Douglas A. James, Mike Mlodinow, Joseph C. Neal, LaDonna Nichols, Helen Parker, Herschel Raney, and Dan Scheiman.

To request 15 or more hardcopies of this field list, e-mail the Curator at [arbirds@arbirds.org](mailto:arbirds@arbirds.org) to make arrangements. A donation is appreciated to offset the costs of printing and mailing. To make a donation visit [www.arbirds.org](http://www.arbirds.org)

# Arkansas Audubon Society

## 2018 Field Reference to Arkansas Birds



Date \_\_\_\_\_ Time \_\_\_\_\_ Total Species Observed \_\_\_\_\_

Location \_\_\_\_\_ County \_\_\_\_\_

Observers \_\_\_\_\_

This publication provides information on 419 species of birds currently documented for Arkansas. It is based primarily on bird records maintained by the Arkansas Audubon Society, and secondarily on other sources, including *Arkansas Birds- Their Distribution and Abundance* (James and Neal, UA Press, 1986), Breeding Bird Surveys, Christmas Bird Counts, eBird, and published literature on Arkansas birds. **Since the information that follows is generalized due to space constraints, it may not seem appropriate for a given species in some locales.** Taxonomy and nomenclature follow the *Checklist of North American Birds*, Seventh Edition, AOU, 1998, as amended through the Fifty-ninth supplement, July 2018.

Approximate dates of arrival and departure are indicated by numbers 1-12 for the months of the year and letters A, B, C, D for the weeks of the month. A plus (+) sign immediately following indicates that discontinuous records outside the period are on file. For species that have nested in Arkansas, one of two symbols follows the name: an asterisk (\*) means the species currently nests with regularity, either yearly, or at least, with some consistency; an open circle (°) means that the species does not nest regularly and that there are few or no such reports since 1950. Beneath the dates of arrival and departure are codes which categorize seasonal status, relative abundance, and, in some cases, the sections of the state of primary occurrence.

The months of the year are grouped into the following seasons:  
**Sp**-spring (March-May)                      **S**-summer (June-July)  
**F**-fall (August-November)                      **W**-winter (December-February)

In combination with these designations, the following abbreviations are used to denote seasonal status:  
**P**-Present, species seen in the state each month but not necessarily in all sections (Great Egret)  
**M**-Migrant, species passes through the state in spring and/or fall (Cape May Warbler)  
**R**-Resident, species remains for an extended period of time (Painted Bunting)  
**L**-Local, species occurs in only a few places (Great-tailed Grackle)  
**V**-Visitor, species usually not present for an extended period of time (Black-legged Kittiwake)  
**Sa**-Storm-assisted, species appears in the state in association with strong coastal storms; not usually present for an extended time (Sooty Tern)

The categories of relative abundance assume reasonable effort spent in suitable habitat during appropriate seasons and are defined as follows:  
**c**-common, always or almost always observed (Killdeer)  
**fc**-fairly common, seen on a majority of trips but usually in smaller numbers (Red-shouldered Hawk)  
**u**-uncommon, may be difficult to find; seen only on a minority of trips (Golden-winged Warbler)  
**r**-rare, may be seen annually or nearly so but not in all locales (Golden Eagle)  
**vr**-very rare, encountered at irregular or infrequent intervals (Ruff)  
**occ**-occasional, 3-4 state records overall with at least 2 records since 1950 (Long-tailed Jaeger)  
**acc**-accidental, 1-2 state records (Fork-tailed Flycatcher)  
**irr**-irruptive, variable in occurrence, number, and distribution (Red-breasted Nuthatch)  
The abbreviations in parentheses following the statements of relative abundance indicate the primary but not necessarily the exclusive section of the state where the species occurs: **(n)** north, **(s)** south, **(e)** east, **(w)** west, **(ce)** central, **(nc)** north-central, **(sc)** south-central, **(ec)** east-central, **(wc)** west-central **(ne)** northeast, **(se)** southeast, **(nw)** northwest, and **(sw)** southwest.

Woodpecker, Downy*	P c	Flycatcher, Least	4C-5D 8B-10B SpMfc FMu
Red-cockaded*	P Lr (ec, se, we)	Phoebe, Eastern*	P SRc SRr (se) WRf
Hairy*	P fc	Say's	9C-10B+ WVr
Flicker, Northern*	P SRu WRf	Flycatcher, Vermilion	10A-4B+ WVvr
Woodpecker, Pileated*	P fc	<b>Family Lanidae</b> <b>Shrikes</b>	
Ivory-billed	Formerly P Recent status unclear	Shrike, Loggerhead*	P SRu (Lfc e, nw) WRfc
<b>Order Falconiformes</b> <b>Falcons</b>		Northern	WVvr (2, 2011)
Caracara, Crested	SpVacc (2, 2017)	<b>Family Vireonidae</b> <b>Vireos</b>	
Kestrel, American*	P Mc SRu WRc	Vireo, White-eyed*	3C-11D+ SRc WVvr (s)
Merlin	9B-4C+ Mu SRu	Bell's*	4C-9D Mu SRu
Falcon, Peregrine°	8C-5B+ Mu WVr	Yellow-throated*	3D-10C+ SRfc
Prairie	10C-2B+ WVr	Blue-headed	9A-5D+ Mfc WRr (s)
<b>Order Psittaciformes</b> <b>Parakeets</b>		Philadelphia	4C-5D 9B-10B+ Mfc
Parakeet, Carolina	extinct	Warbling*	4B-9D+ SRLu Mfc
<b>Order Passeriformes</b> <b>Family Tyrannidae Flycatchers</b>		Red-eyed*	4A-10B+ SRc
Flycatcher, Ash-throated	FWVacc (2, 2010)	<b>Family Corvidae</b> <b>Jays and Crows</b>	
Great-crested*	4B-10A+ SRc	Jay, Blue*	P c
Kingbird, Couch's	WVacc (1, 1995)	Nutcracker, Clark's	SpVacc (1, 1891)
Cassin's	SpSVacc (2, 1967)	Crow, American*	P c
Western*	3D-10C Mu SRLu	Fish*	P SRc WRLfc (s)
Eastern*	3D-10D SRc	<b>Family Alaudidae</b> <b>Larks</b>	
Gray	SpVacc (1, 2007)	Lark, Horned*	P WRc SRLu
Flycatcher, Scissor-tailed*	3D-11D+ SRc	<b>Family Hirundinidae</b> <b>Swallows</b>	
Fork-tailed	WVacc (1, 1995)	Martin, Purple*	2A-9B+ SRc
Flycatcher, Olive-sided	4D-6D 8A-10B Mu	Swallow, Tree*	2C-11C+ Mc SRLfc
Wood-Pewee, Eastern*	4A-10D SRc	Northern Rough-winged*	3A-10D+ SRc
Flycatcher, Yellow-bellied	4D-5D 8B-10C SpMr FMvr	Bank*	4A-5D 7A-9D+ Mfc SRvr
Acadian*	4A-9D+ SRfc	Cliff*	3B-10B+ Mc SRc
Alder	5A-6A 8A-9B+ Mu	Cave	3D-5D 6D-10A+ SpVvr SFMu (sw, se)
Willow*	5A-9C SpMu SRLr (nw)	Barn*	3A-11D+ SRc

<b>Family Paridae</b> <b>Chickadees and Titmice</b>		Thrush, Swainson's	4A-5D 9A-10C+ SpMc FMu
Chickadee, Carolina*	P c	Hermit	10A-4D+ WRc
Titmouse, Tufted*	P c	Wood*	4A-10B+ SRfc
<b>Family Sittidae</b> <b>Nuthatches</b>		Robin, American*	P c
Nuthatch, Red-breasted	9B-5B+ WRirr	Thrush, Varied	WVacc (1, 2010)
White-breasted*	P c (n, wc)	<b>Family Mimidae</b> <b>Mockingbirds, Thrashers, and Allies</b>	
Brown-headed*	P c (s, wc)	Catbird, Gray*	P SRc WRr
<b>Family Certhiidae</b> <b>Creepers</b>		Thrasher, Brown*	P c
Creeper, Brown°	10A-4C+ WRfc	Sage	SpFVacc (3, 2018)
<b>Family Troglodytidae</b> <b>Wrens</b>		Mockingbird, Northern*	P c
Wren, Rock	10B-4A+ WRr (w)	<b>Family Sturnidae</b> <b>Starlings</b>	
House*	P Mfc WRu SRfc (nw)	Starling, European*	P c
Winter	10A-4D+ WRfc	<b>Family Bombycillidae</b> <b>Waxwings</b>	
Sedge*	P Mfc SRLfc (e, nw) WRLu	Waxwing, Bohemian	1D-3C+ WVvr
Marsh	9C-5C Mfc WRu	Cedar*	P SRu (nw) WRc
Carolina*	P c	<b>Family Passeridae</b> <b>Old World Sparrows</b>	
Bewick's*	P SRr (nw) WRr	Sparrow, House*	P c
<b>Family Polioptilidae</b> <b>Gnatcatchers</b>		<b>Family Motacillidae</b> <b>Pipits</b>	
Gnatcatcher, Blue-gray*	3C-10C+ SRc WVr	Pipit, American	9D-4C+ Mfc WRfc
<b>Family Regulidae</b> <b>Kinglets</b>		Sprague's	10A-4D Mr WRr
Kinglet, Golden-crowned	9D-4D WRc	<b>Family Fringillidae</b> <b>Finches</b>	
Ruby-crowned	9D-5A+ WRc	Brambling	WVacc (1, 2016)
<b>Family Muscicapidae</b> <b>Wheatears</b>		Grosbeak, Evening	11B-5A+ Wirr vr
Wheatear, Northern	FVacc (1, 1990)	Grosbeak, Pine	WSpVacc (4, 1989)
<b>Family Turdidae</b> <b>Bluebirds, Thrushes, and Allies</b>		Rosy-Finch, Gray-crowned	SpVacc (1, 2012)
Bluebird, Eastern*	P c	Finch, House*	P c
Mountain	FSpVacc (2, 2013)	Purple°	10D-4B+ WRfc
Solitaire, Townsend's	10C-4A WRvr (w)	Redpoll, Common	12A-4A WVvr (n)
Veery	4C-5C+ SpMu	Crossbill, Red°	9A-7D+ Vr
Thrush, Gray-cheeked	4A-5D 9B-10C+ SpMfc FMvr	White-winged	1A-4C WSpVvr

Siskin, Pine°	10B-5B+ Mirr WRirr	Sparrow, Song	10A-5B+ WRc
Goldfinch, Lesser	SpSWVacc (6, 2017)	Lincoln's	10A-5C+ Mfc (w, ce) WRu (w)
American*	P WRc SRc (nw, ce)	Swamp	10A-5A+ WRc
<b>Family Calcariidae</b> <b>Longspurs and Snow Bunting</b>		White-throated	10A-5B+ WRc
Longspur, Lapland	11B-3A+ WRfc	Harris's	10C-5B WRu (w, ce)
Chestnut-collared	12D-1D+ WVvr	White-crowned	10A-5D WRc
Smith's	11A-3C Mr WRLu (e)	Junco, Dark-eyed	10B-4B+ WRc
McCown's	FVacc (2, 1996)	<b>Family Icteridae</b> <b>Chats</b>	
Bunting, Snow	11C-12D+ WVvr	Chat, Yellow-breasted*	4C-9D+ SRc
<b>Family Passerellidae</b> <b>New World Sparrows</b>		<b>Family Icteridae</b> <b>Blackbirds and Allies</b>	
Towhee, Green-tailed	FVacc (1, 1952)	Blackbird, Yellow-headed	4A-5C+ 8C-10C+ SpMu FMr WVvr
Spotted	10C-4A+ WRr	Bobolink	4C-5D 8C-10B+ SpMfc FMLu
Eastern*	P SRfc WRc	Meadowlark, Eastern*	P c
Sparrow, Rufous-crowned*	P Lr (wc)	Western	10C-4D+ WRu
Cassin's°	SpFVacc (2, 2011)	Oriole, Orchard*	4A-9C+ SRc
Bachman's*	4A-9C+ SRLu	Bullock's	12D-2C WVvr
American Tree	10B-4A Mr WRr (n)	Baltimore*	4A-9D+ SRLfc (ce, e, s) SRLu (nw) WVvr (s)
Chipping*	P SRc (n, wc) WRc (s)	Scott's	WSpVacc (3, 2013)
Clay-colored	4B-5B 9A-11B+ Mu (w) Mr (e)	Blackbird, Red-winged*	P c
Brewer's	WVacc (1, 2011)	Cowbird, Brown-headed*	P c
Field*	P SRfc WRc	Blackbird, Rusty	10C-4C+ WRfc
Vesper	10A-4D Mfc WRu (s, e)	Brewer's	11A-4B+ WRfc (e, sw) WRu (nw)
Lark*	3D-9D+ SRfc SRu (nw) WVvr (s)	Grackle, Common*	P c
Bunting, Lark	WSpVacc (5, 2017)	Great-tailed*	P Lu (w)
Sparrow, Savannah	10A-5C+ WRc	<b>Family Parulidae</b> <b>Wood Warblers</b>	
Grasshopper*	4A-11D+ SRLu SRLfc (nw)	Ovenbird*	4B-10B+ SRc (n, ce, wc)
Henslow's*	P Mr SRLvr (nw, n, wc) WRr (se)	Warbler, Worm-eating*	4A-9D+ SRu
Le Conte's	10A-5B WRLfc	Waterthrush, Louisiana*	3C-10B SRfc
Nelson's	5B-5C 9D-10D+ Mr	Northern	4B-5C 8B-10A+ SpMc FMfc
Fox	10B-4C+ WRfc	Warbler, Bachman's	extinct

Warbler, Golden-winged	4D-5B 8D-10B Mu	Warbler, Black-throated Green*	3D-10C+ Mc SRLu (nc, nw)
Blue-winged*	4A-10B Mfc SRLu (n, ce)	Canada	4D-6A 8D-10A Mu
Black-and-white*	3C-10B+ SRc WVvr (s)	Wilson's	4D-6A 8D-10A+ Mu (e) Mc (w)
Prothonotary*	4A-9C+ SRfc	<b>Tanagers, Cardinal, and Grosbeaks</b> <b>Family Cardinalidae</b>	
Swainson's*	4A-9B+ SRLu	Tanager, Summer*	4B-10B+ SRc WVvr
Tennessee	4B-5C 9A-10C+ Mc	Scarlet*	4B-10B+ Mfc SRfc (n, wc)
Orange-crowned	9D-5C+ Mfc WRu	Western	8D-5B WVvr
Nashville	4A-5C 9A-10D+ Mc	Cardinal, Northern*	P c
Connecticut	4C-5D SpMvr	Grosbeak, Rose-breasted	4C-5C 9C-10C+ SpMfc FMu
Mourning	4D-5D 8D-9D+ Mu	Black-headed	9D-5B+ WVvr
Kentucky*	4B-9D+ SRfc	Blue*	4B-10B SRc
Yellowthroat, Common*	4A-10D+ SRc WRu (s, e)	Bunting, Lazuli	2D-6B SpVvr
Warbler, Hooded*	4A-10A+ SRfc	Indigo*	4B-11A+ SRc WVvr
Redstart, American*	4B-10C Mfc SRu (Lfc nw)	Painted*	4B-9D+ SRfc
Warbler, Cape May	4D-5C 8D-11D+ Mr	Dickcissel*	4D-10B+ SRc WVvr
Cerulean*	4C-9A+ SRu (Lfc nw)		
Parula, Northern*	3C-10C+ SRc		
Warbler, Magnolia	4B-5D+ 9A-10B+ Mfc Mc (e)		
Bay-breasted	4B-6B 9D-10B+ Mu		
Blackburnian	4D-6A 9A-10B Mu Mfc (e)		
Yellow*	4B-9D+ Mfc SRLu (nw)		
Chestnut-sided*	4D-10B+ SpMfc FMfc (e) u (w) SRLr (nc, nw)		
Blackpoll	4B-5D 10B-10D SpMfc FMvr		
Black-throated Blue	4C-5B 9C-10C+ Mvr		
Palm	4C-5A 9C-11C+ Mfc WRr		
Pine*	P c WRu (nw)		
Yellow-rumped	9D-5B+ WRc		
Yellow-throated*	3D-10C+ SRfc		
Prairie*	4B-9C+ SRfc		
Black-throated Gray	FVacc (1, 2005)		